

VERITY POLYPROPYLENE **PP**

PDHOPP20
HOMOPOLYMER **MELT INDEX** **20.0**

Features:

- Excellent processability
- Good Stiffness
- Good heat performance
- Good ESCR
- FDA approved

Properties	ASTM	S.I. Units	Typical Values
Melt Index	D-1238	g/10 min.	20.0
Density	D-1505	g/cm ³	0.900
Tensile yield strength	D-638	psi	4,900
Flexural modulus (1% Secant)	D-790	psi	180,000
Izod notched @ 23°C	D-256	ft-lbs/in	0.5
Heat Deflection Temperature (@ 66 psi)	D-648	°C	100

PDHOPP20 meets all requirements of the U.S. Food and Drug Administration as specified in 21CFR 177.1520, covering safe use of polyolefin articles and components of articles intended for direct food contact.

The information contained herein is based upon data believed to be reliable and relates only to the matters specifically contained herein. Although such information is, to the best of our knowledge and belief, accurate and reliable as of the date hereof, no representation, warranty (expressed or implied, of merchantability, fitness or otherwise), or guarantee is made as to the suitability, accuracy, reliability, or completeness of the information. It is the user's responsibility to satisfy itself as to the suitability, accuracy, reliability and completeness of such information for its particular use. There is no warranty against patent infringement, and PolyOne Distribution shall not be liable for any loss, damage, or injury that may occur from the use of this information. No statement herein shall be construed as an endorsement of any product or process.